

botiss Jason® membrane è una membrana in collagene naturale ottenuta da pericardio suino, sviluppata e prodotta per la rigenerazione dei tessuti dentali. Le favorevoli proprietà biomeccaniche e biologiche del pericardio naturale vengono preservate durante il processo di produzione.

Vergleich von allogenen und alloplastischen Knochenersatzmaterialien mit Pericardium Membran in der horizontalen gesteuerten Augmentation von Alveolardefekten. (Comparison of allogenic and xenogenic bone substitutes with pericardium membrane for guided bone augmentation of alveolar defects) N. Papagiannoulis N, Daum O, Tadic D, Steigmann M Dent Implantol 2012, 16 (5): 360-369 articolo disponibile solo in tedesco

Monophasic β -TCP vs. biphasic HA/ β -TCP in two-stage sinus floor augmentation procedures - a prospective randomized clinical trial. Jelusic D, Zirk ML, Fienitz T, Plancak D, Puhar I, Rothamel D. Clin Oral Implants Res. 2016; 28(10):e175-e183.

Lateral Ramus Cortical Bone Plate in Alveolar Cleft Osteoplasty with Concomitant Use of Buccal Fat Pad Derived Cells and Autogenous Bone: Phase I Clinical Trial. Khojasteh A, Kheiri L, Behnia H, Tehranchi A, Nazeman P, Nadjmi N, and Soleimani M. Biomed Res Int. 2017; 2017:6560234.

Sinus Floor Elevation Using the Lateral Approach and Bone Window Repositioning I: Clinical and Radiographic Results in 102 Consecutively Treated Patients Followed from 1 to 5 Years. Tawil G, Tawil P, Khairallah A. Int J Oral Maxillofac Implants. 2016; 31(4):827-34.

Comparing membranes and bone substitutes in a one-stage procedure for horizontal bone augmentation. A double-blind randomized controlled trial. Merli M, Moscatelli M, Mariotti G, Pagliaro U, Raffaelli E, Nieri M., Eur J Oral Implantol. 2015; 8(3):271-81.

Effect of flapless ridge preservation with two different alloplastic materials in sockets with buccal dehiscence defects-volumetric and linear

changes. Naenni N, Sapata V, Bienz SP, Leventis M, Jung RE, Hämmerle CHF, Thoma DS. Clin Oral Investig. 2018 Jul;22(6):2187-2197.

Porcine Dermis and Pericardium-Based, Non-Cross-Linked Materials Induce Multinucleated Giant Cells After Their In Vivo Implantation: A Physiological Reaction? Barbeck M, Lorenz J, Holthaus MG, Raetscho N, Kubesch A, Booms P, Sader R, Kirkpatrick CJ, Ghanaati S. J Oral Implantol. 2015 Dec;41(6):e267-81.

Biocompatibility and biodegradation of a native porcine pericardium membrane: results of in vitro and in vivo examinations. Rothamel D, Schwarz F, Fienitz T, Smeets R, Dreiseidler T, Ritter L, Happe A, Zöller J. Int J Oral Maxillofac Implants. 2012 Jan-Feb;27(1):146-54.

Non si garantisce la completezza.

botiss collprotect® membrane è una membrana in collagene naturale di derma suino. Il processo di purificazione multiplo garantisce l'eliminazione di tutte le componenti antigeniche e non collageniche, preservando allo stesso tempo la struttura naturale del collagene.

Effect of Deproteinized Bovine Bone Mineral at Implant Dehiscence Defects Grafted by the Sandwich Bone Augmentation Technique. Wen SC et al. Int J Periodontics Restorative Dent. 2018;38(1):79-85.

Use of Collagen, PTFE and PRF Membranes in Bone Reconstruction an Experimental and Histomorphometric Study. Neculae II, Anghelescu VM, Zurac SA, Dinca OM, Vladan CG, Bucur A. J Transl Med Res. 2017; 22(1): 42-47.

Clinical aspects of novel types of collagen membranes and matrices: Current issues in soft- and hard- tissue augmentation. Rothamel D, Török RR, Neugebauer J, Fienitz T, Scheer M, Kreppel M, Mischkowski R, Zöller J. EDI Journal I 1/2012 I Page 62.

Collagen Membranes Adsorb the Transforming Growth Factor- β Receptor I Kinase-Dependent Activity of Enamel Matrix Derivative. Stähli A, Miron RJ, Bosshardt DD, Sculean A, Gruber R, J Periodontol. 2016 May;87(5):583-90.

Comparison of two different xenografts in bilateral sinus augmentation: radiographic and histologic findings. Panagiotou D, Özkan Karaca E, Dirikan İpçi Ş, Çakar G, Olgaç V, Yılmaz S. Quintessence Int. 2015 Jul-Aug;46(7):611-9.

Non si garantisce la completezza.