

Non si garantisce la completezza.

[Retrospective Cohort Study of 4,591 Straumann Implants Placed in 2,060 Patients in Private Practice with up to 10-Year Follow-up: The Relationship Between Crestal Bone Level and Soft Tissue](#)

[Condition](#). French D, Cochran DL, Ofec R. Int J Oral Maxillofac Implants. 2016 Nov/Dec;31(6):e168-e178

[A Comparison of Tapered and Nontapered Implants in the](#)

[Minipig](#). Cochran D, Stavropoulos A, Obrecht M, Pippenger B, Dard M. Int J Oral Maxillofac Implants. 2016 Nov/Dec;31(6):1341-1347.

[Simplified procedure for the immediate loading of a complete fixed prosthesis supported by four implants in the maxillary jaw: a 2-year prospective study](#). Piano S, Romeo E, Sbricoli L, Pisoni G, Cea N, Lops D. Clin Oral Implants Res. 2016 Dec;27(12):e154-e160

[Esthetic, clinical and patient-centered outcomes of immediately placed implants \(Type 1\) and early placed implants \(Type 2\): preliminary 3-month results of an ongoing randomized controlled clinical trial](#). Huynh-Ba G, Meister DJ, Hoders AB, Mealey BL, Mills MP, Oates TW, Cochran DL, Prihoda TJ, McMahan CA. Clin Oral Implants Res. 2016 Feb;27(2):241-52

[A 1-Year Prospective Clinical and Radiographic Study of Early-Loaded Bone Level Implants in the Posterior Maxilla](#). Marković A, Čolić S, Šćepanović M, Mišić T, Đinić A, Bhusal DS. Clin Implant Dent Relat Res. 2015 Oct;17(5):1004-13.

[Clinical and Radiologic Outcomes after Submerged and Transmucosal Implant Placement with Two-Piece Implants in the Anterior Maxilla and Mandible: 3-Year Results of a Randomized Controlled Clinical Trial](#). Sanz M, Ivanoff CJ, Weingart D, Wiltfang J, Gahlert M, Cordaro L, Ganeles J, Bragger U, Jackowski J, Martin WC, Jung RE, Chen S, Hammerle C. Clin Implant Dent Relat Res. 2015 Apr;17(2):234-46

[A prospective noninterventional study to document implant success and survival of the Straumann Bone Level SLActive dental implant in daily dental practice](#). Filippi A, Higginbottom FL, Lambrecht T, Levin BP, Meier JL, Rosen PS, Wallkamm B, Will C, Rocuzzo M. Quintessence Int. 2013 Jul;44(7):499-512.

[Soft and hard tissue histologic dimensions around dental implants in the canine restored with smaller-diameter abutments: a paradigm shift in peri-implant biology](#). Cochran DL, Mau LP, Higginbottom FL, Wilson TG,

Bosshardt DD, Schoolfield J, Jones AA. Int J Oral Maxillofac Implants. 2013 Mar-Apr;28(2):494-502.

Long-term stability of early implant placement with contour augmentation. Buser D, Chappuis V, Kuchler U, Bornstein MM, Wittneben JG, Buser R, Cavusoglu Y, Belser UC. J Dent Res. 2013 Dec;92(12 Suppl):176S-82S.

Performance of the Straumann Bone Level Implant system for anterior single-tooth replacements in augmented and nonaugmented sites: a prospective cohort study with 60 consecutive patients. Santing HJ, Raghoobar GM, Vissink A, den Hartog L, Meijer HJ. Clin Oral Implants Res. 2013 Aug;24(8):941-8.

Implant-supported single tooth restoration in the aesthetic zone: transmucosal and submerged healing provide similar outcome when simultaneous bone augmentation is needed. Cordaro L, Torsello F, Chen S, Ganeles J, Brägger U, Hämmerle C. Clin Oral Implants Res. 2013 Oct;24(10):1130-6.

Effect of interimplant distance (2 and 3 mm) on the height of interimplant bone crest: a histomorphometric evaluation. Elian N, Bloom M, Dard M, Cho SC, Trushkowsky RD, Tarnow D. J Periodontol. 2011 Dec;82(12):1749-56.

Stability of contour augmentation and esthetic outcomes of implant-supported single crowns in the esthetic zone: 3-year results of a prospective study with early implant placement postextraction. Buser D, Wittneben J, Bornstein MM, Grütter L, Chappuis V, Belser UC. J Periodontol. 2011 Mar;82(3):342-9.

Bone response to loaded implants with non-matching implant-abutment diameters in the canine mandible. Cochran DL, Bosshardt DD, Grize L, Higginbottom FL, Jones AA, Jung RE, Wieland M, Dard M. J Periodontol. 2009 Apr;80(4):609-17.

Early implant placement with simultaneous guided bone regeneration following single-tooth extraction in the esthetic zone: 12-month results of a prospective study with 20 consecutive patients. Buser D, Halbritter S, Hart C, Bornstein MM, Grütter L, Chappuis V, Belser UC. J Periodontol. 2009 Jan;80(1):152 - 62